

**Massachusetts Medical Society
Validated Behavioral Health Screening Tools**

FOR PEDIATRICS:

Age range: 1 – 72 months

[Ages & Stages Questionnaires®: Social-Emotional, Second Edition \(ASQ®:SE-2\)](#)

Age range: under 18 months

[Baby Pediatric Symptom Checklist](#)

Age range: 18 – 65 months

[Preschool Pediatric Symptom Checklist](#)

Age range: 4 – 16 years

[Pediatric Symptom Checklist \(PSC\)](#)

Age range: 2 – 17 years

[Strengths & Difficulties Questionnaires \(SDQ\)](#)

[Child Behavior Checklist](#) (Component of ASEBA)

[Behavior Assessment System for Children](#) (BASC-3)

ADHD

[Conners 4th Edition](#)

[Vanderbilt Assessment Forms for ADHD](#)

Autism Spectrum

[Screening Tool for Autism in Toddlers and Young Children](#) (STAT™)

[Modified Checklist for Autism in Toddlers, Revised w/Follow-Up](#) (M-CHAT R/F)

[Rapid Interactive Screening Test for Autism in Toddlers](#) (RITA-T) Administration Kit

[Autism Diagnostic Observation Schedule™, Second Edition](#) (ADOS®-2)

[Screening Tool for Autism in Toddlers and Young Children](#) (STAT™)

FOR ADULTS:

[Patient Health Questionnaire - 9](#) (PHQ-9)

[Beck Depression Inventory](#) (BDI)

[Center for Epidemiologic Studies Depression Scale](#) (CES-D)

[Hamilton Depression Rating Scale](#) (HAM-D)

[Montgomery- Asberg Depression Rating Scale](#) (MADRS)

[Screening for Depression in Adults Medicare](#)

[Alcohol Use Disorders Identification Test – Concise](#) (AUDIT-C)

[Generalized Anxiety Disorder – 7](#) (GAD-7)

FOR GERIATRICS (IN ADDITION TO THOSE LISTED ADULTS):

[Mini-Mental State Exam](#) (MMSE)

[Montreal Cognitive Assessment Test](#) (MoCA)

[Geriatric Depression Scale](#) (GDS)

This information is intended to serve as a general resource. No recommendation or endorsement by the MMS for the individual(s) or service(s) listed is expressed or implied. This information does not constitute legal advice. The MMS is not responsible for the recommendations of or the quality of the work provided by any of the parties listed

